HOLD WATER SUPPL MISSISSIPPI STATE DEPARTMENT OF HEA

BUREAU OF PUBLIC WATER SUPPLY	
CCR CERTIFICATION √	
CALENDAR YEAR 2014	
Public Water Supply Name	
0340010	
List PWS ID #s for all Community Water Systems included in this CCR	

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. You must mail, fax or email a copy of the CCR and Certification to MSDH. Please check all boxes that apply.

Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
 □ Advertisement in local paper (attach copy of advertisement) □ On water bills (attach copy of bill) □ Email message (MUST Email the message to the address below) □ Other
Date(s) customers were informed:/,/
CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used
Date Mailed/Distributed://
CCR was distributed by Email (MUST Email MSDH a copy) Date Emailed: / / As a URL (Provide URL As an attachment As text within the body of the email message
CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
Name of Newspaper: The Chronicle
Date Published: 4 / 22 / 2015
CCR was posted in public places. (Attach list of locations) Date Posted:/
CCR was posted on a publicly accessible internet site at the following address (DIRECT URL REQUIRED):
TIFICATION why certify that the 2014 Consumar Confidence Penart (CCP) has been distributed to the consumar Confidence Penart (CCP).
by certify that the 2014 Consumer Confidence Report (CCR) has been distributed to the customers of this ic water system in the form and manner identified above and that I used distribution methods allowed by SDWA. I further certify that the information included in this CCR is true and correct and is consistent with

CER

I her publ: the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

april 29 2015

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be faxed to: (601)576-7800

May be emailed to: water.reports@msdh.ms.gov



2015 APR 27 PM 4: 16

2014 Annual Drinking Water Quality Report M&M Water Association PWS#: 0340010 April 2015

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from four wells drawing from the Catahoula Formation and Miocene Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the M&M Water Association have received lower to moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Chad Walters at 601-425-1001. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Tuesday of each month at 5:00 PM at the association office.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2014. In cases where monitoring wasn't required in 2014, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

				TEST R	ESULT	'S		
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Radioacti	ve Cont	aminan	ts					
	N	2013	.8	No Range	pCi/L		15	Erosion of natural deposits

10. Barium	N	2014	.028	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2014	6.5	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2013*	.5	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2014	.907	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2013*	2	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Volatile O	rgani	ic Conta	minant	S				
66. Ethylbenzene	N N	2014	.704	No Range	ppb	700	700	Discharge from petroleum refineries
76. Xylenes	N	2014	5.62	1.28 - 5.62	ppm	10	10	Discharge from petroleum factories; discharge from chemical factories

Disinfectio	n By-	produc	ts					
81. HAA5	N	2012*	4	No Range	ppb	0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2012*	5.38	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2014	1.6	1.27 – 1.95	Mg/I	0	MDRL = 4	Water additive used to control microbes

^{*} Most recent sample. No sample required for 2014.

As you can see by the table, our system had no contaminant violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The M&M Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Please note: This report will not be mailed out to customers individually, however a copy may be requested from our office.

2015 MAY -4 AM 8: 33

The Chronicle

P.O. Box 1984 • Laurel, MS 39441 (601) 651-2000 tel • (601) 651-2020 fax

PROOF OF PUBLICATION

THE STATE OF MISSISSIPPI,
JONES COUNTY.
Personally appeared before me, the undersigned, a notary public in and for Jones
County, Mississippi, Sonya James, for
THE CHRONICLE, a twice-weekly newspaper
published in Jones County Mississippi, who,
being duly sworn, says that the notice, a true
copy of which is hereto annexed, appeared
in the issues of said newspapers as follows:

DATE: 04/22/2015
DATE:
DATE:
DATE:
DATE:
Display Ad
TOTAL \$_273,00
(Signed) Sonya James The Chronicle
Sworn to and subscribed before me in my Presence, this $\frac{2/4^{2}}{2015}$, a Notary Public in and for the County of Jones,
State of Mississippi.
(Signed) They Caux Tudgen Notary Public
OF MISS

SHERRY DAWN PRIDGEN
Commission Expires
Feb. 9, 2018

2014 Annual Diffiking Water Quasty Report M&M Water Association PWS# 0340010

never persists of present is you this year's amount clustery where freport. This import is designed to element you believe for a spatty was a second or a spatty was a

The source water assteament has been convoled for our public water system to determine the overall susceptibility of its detailment surface. Sources of constraints of the sources of constraints on the sources of constraints of the sources of constraints of the sources of constraints of the sources of the

If you have stry describes about this report or concerning your water unity, please contact Charl Watters at 901-428-1001. We was or visited contact Charl Watters at 901-428-1001. We was or visited contact on the Information of the Informati

We multily make for consistent in your detains yet as counting in Fount and Talle feet. This lates feeter into all of the making makes counting makes out the makes of the mak

in this table you will find many terms and appreciations you might not be familiar with. To help you belter understand these terms we've provided the following districtions:

Action Layer the concentration of a conteminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Tocknique (TT) - A treatment sechnique is a required process intended to reduce the level of a comprehensive motivation.

Maximum Contention (Lond (MCL) - The "Maximum Aboved" (MCL) is the highest level of a contention that is aboved in desirable. MCL are set at local to the MCL or as featbook using the best exercised featiment is cheekly in the set of the MCL are set as the MCL or as featbook using the best exercised featbook processing the MCL or as featbook using the best of a contention of set of the MCL or as featbook using the board of a contention of the MCL or as featbook using the board or according to set of the set of a contention of the MCL or as featbook or a mediant of set of the set of a contention of the MCL or as featbook or a mediant of set of the set of a contention of the MCL or as the MCL or as the set of the MCL or as the MCL or as the set of the

Maximum Resemble Descriptions (www./ARROL) - The highest level of a statisectant aboved in cliniting leater. There is converse
endence that addition of a district that is reconstant or control increases contaminates.

Maximum Residual Distriction Level Goal (MIDLG) — The level of a distriction water destriction below short there is no known expected risk of fresh. MHDLGs do not reflect the benefits of the use of districtions to control recorder commissions.

TEST RESULTS

	VAN	Cooletted	Delector	Rango of Detacts of 8 of Samples Sameong SICUACE	Aldrasum emme	MCLG	MCX	Likely Source of Contembration
Radioucti	ve Cau	tamina	ıls					
5 Gross Alpha	I ii	2013		No Range	post	- 6	15	Crowde of resource property
Inorganic	Contar	uizants						
10. Barkint	N	2014	025	No Ranga	pterri	7	2	Discharge of disting editors, dispherent from model in France: ercorder of natural
13. Chromeum	н	2014	8.5	No Range	ppb	100	100	Discharge from used and pulp mids; existen of natural deposits
14. Copper 16. Flavoide	2	20131	.5	0	CONTR	13	AL-13	Corresion of household planning systems, erosion of natural deposits leaching from wood preservatives
16 PROPIDE	H	2014	907	No Harge	pont		*	Erosion of resoral degocate, weter brother which promotes strong teeth discharge from fertilizer and attraction factorizer.
11.1.1880		5012.	2	0	ppb	g	AL#15	Corrunion of household plambing systems, prosion of natural deposits
Volatile ()		Contan	liaants					
6 Fany benzero		2014	704	No Range	rob I	700	700	Discharge from patroleum refineries
re Xyenes	N	2014	8.62	1.78 - 5.62	pore	10	10	Discharge from patroleum factories discharge from character factories
Disinfection	n By-P	roducts				SX (Sc	1200000	
SI HAAS	н	20121	•	No Ronge	pok	0	80	By Product of Streking water Gainfection
sz TTHM Total Málomathadasi		20127	0.38	No Range	poli	0	60	
CRSSANA	H	2014	1.0	1.27 - 1.95	Mgt	- 0	MORL = 4	Water additive used to control

As you can see by the laber, our system test no constrainant vications. We're pour they your deabling value meets or exceeds all Pederal and Ester experiments. We have learned truling our monitoring and learning that some constituted have been detection however the EPA has determined that your valer is SAPE at these events.

You are required to monthly your discharge values for provide contrastitions on a monthly basis. Results of regular monitoring are an indicator of invitation or not out officially grater monitoring values. Visit out contribute the monitoring requirements for dischargelying that shower on collitating research in an effort to discharge complete an emonitoring requirements. AROTH now notices replaced and provide any provided properties and AROTH now notices replaced and provided and provided properties of the end of the completing page.

I person, elevened erest, el fese com cause serous heath protriem; capetally for personal visions and young distinct, Lost divides yet established por international conformation association where the internation of the protriems of the protree o

All powers of drinking water are updeed to potential containmental by slottstence that after naturally occurring or man major. The substances can be naturally occurring or man major. The substances can be not expected updated and substances. All drinking nature involving placed water many containments of the substances. All drinking nature involving placed water many containments of the substances have not contained and contained one of containments of the substances have not contained to contain the substances of the substances

Some people may be note varietable to conseniusnip in drivining valier than this general population. Immuno-combinationable persons such as persons with calcor undergoing chemotherings, persons with name undergoing cognit transplants, people with MAURUS of cold enteriors private Canadiscies, some deliver, and classics and appellication in critical confections. These people should see active and confection that the complete should see active about divining valied from their health care providers. EMPCCD quidelities on appropriate research in feature the risks of infection to propriorations are active before them the Set Development Water Lorent Lorent Confection to propriorations are active before them the Set Development with the Confection to propriorations are active with the time to the Confection to propriorations are active before them the Set Development with the Confection to propriorations are active before them the Set Development and the Confection to proprioration and conference to the Confection to proprioration and conference to the Conference t

The MALK Water Association works around the clock to provide top quisity water to every rap. We sak that of our consomers help us protect our water sources; which size the heart of our continuity, our way of little and our children's future.

Plasse note: This report will not be mailed out to customers individually, however a copy may be requested from our offic